

Scanfed by Chate Doc ID#

92-31

Henderson Building Suite 203 2301 W Meadowview Rd Greensboro, NC 27407

tel: 336/323-0092 fax: 336/323-0093

www.JoyceEngineering.com

October 12, 2005

Mr. Matt Gamble Division of Waste Management/Solid Waste Section 1647 Mail Service Center Raleigh, NC 27699-1646

RE: First Semiannual Groundwater Monitoring Report of 2005 Material Recovery, LLC, C&D Landfill Permit No. 92-31 JEI Project No. 710, Task 01

Dear Matt:

Enclosed is a report of the laboratory analytical results for the water quality monitoring conducted in June 2005 at WCA's Material Recovery, LLC, Construction and Demolition Landfill. In accordance with the Groundwater Monitoring Plan, monitoring wells MW-1, -2, -3, -4, and -5 and surface water points SW-1, -2, and -3 were sampled on June 14, 2005. The samples were sent to Environmental Conservation Laboratories, Inc. and analyzed for the NC Appendix I list of volatile organic compounds and the eight RCRA metals. Dissolved barium in MW-3 and dissolved lead in MW-5 were also analyzed.

A summary of the detected constituents for the site is included as Table 1. No organic constituents were detected above their respective laboratory reporting limits during the June 2005 event. Three inorganic constituents were detected above the laboratory reporting limits during the June 2005 event. Barium was detected in MW-2 and MW-3, at concentrations consistent with previous results. Lead was detected in MW-5 at a concentration slightly higher than previous results. Barium in MW-3 and lead in MW-5 were detected at concentrations above their respective NC 2L Drinking Water Standards. Previous data suggest that turbidity may be a factor in the relatively high concentrations of total metals.

A summary of groundwater elevations is included as Table 2. The field information forms, a site plan map, and a compact disc containing the laboratory report for this event are also enclosed in this report. The next semiannual monitoring event is scheduled to take place in December 2005. If you have any questions, please feel free to contact me at (336) 323-0092.

Sincerely,

JOYCE ENGINEERING, INC.

David "Dusty" Y. Reedy II, P.G.

Project Hydrogeologist

Enclosure

Cc: Chris Roof – WCA of North Carolina, L.P.

Wilbert Carter - Material Recovery, LLC, C&D Landfill

Jeremey Kerly – Joyce Engineering, Inc.

Prepared for:

WCA of North Carolina 421 Raleigh View Road Raleigh, NC 27610

JEI Project Number 710, Task 01



FIRST SEMIANNUAL GROUNDWATER MONITORING
REPORT OF 2005
MATERIAL RECOVERY, LLC
CONSTRUCTION AND DEMOLITION LANDFILL
WAKE COUNTY, NORTH CAROLINA

October 2005

Prepared by:



2301 West Meadowview Road, Suite 203 Greensboro, North Carolina 27407 (336) 323-0092




TABLE 1 SUMMARY OF DETECTED CONSTITUENTS MATERIAL RECOVERY, LLC, C AND D LANDFILL

Parameter					С	ONCENT	RATION (µ	g/L)			
[NC 2L Standard], [EPA MCL]	Date	RL	MW-1	MW-2	MW-3	MW-4	MW-5	SW-1	SW-2	SW-3	Blanks
in μg/L	34 88							· · ·	ND		ND
arsenic	May-02	10				NTO	ND	-		ND	ND
[10]	Aug-02	10	ND	ND	ND	ND		ND	ND	ND	ND
[50]	Jun-03	10	ND	ND	ND	ND	ND		ND	ND	ND
	Dec-03	10	ND	ND	ND	ND	ND	ND		ND ND	ND
	Jun-04	10	ND	ND	ND	ND	ND	ND	ND		
	Dec-04	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-05	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
barium (total)	May-02	500			nonennonen etakisis (1881)				ND		ND
[2000]	Aug-02	500	ND	ND	4000	ND	ND			ND	ND
[2000]	Jun-03	500	ND	ND	3100	ND	ND	ND	ND	ND	ND
-	Dec-03	500	160	420	1200	120	120	ND	ND	230	ND
	Jun-04	500	ND	540	1500	ND	ND	ND	ND	ND	ND
	Dec-04	500	ND	57 0	3100	ND	ND	ND	ND	ND	ND
	Jun-05	500	ND	520	2600	ND	ND _	ND	ND	ND	ND
barium (dissolved)	Dec-03	500			1000						-
	Jun-04	500	l _		1400						· -
	Jun-05	500			2700						
cadmium	May-02	1							ND		ND
[1.75]	Aug-02	î	1.4	1.1	1.8	1.2	1.0			1.6	ND
[5]	Jun-03	i	1.2	1.1	1.7	1.8	3.4	1.0	ND	1.1	ND
[-]	Dec-03	1	ND	1.3	ND	ND	ND	ND	ND	ND	ND
	Jun-04	i	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-04	1	ND	ND	ND	ND	1.1	ND	ND	ND	ND
	Jun-05	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
1	May-02	10	- ND						ND		ND
chromium	1 -	10	ND	ND	ND	ND	ND			ND	ND
[50]	Aug-02 Jun-03		ND	ND	ND	ND	ND	ND	ND	ND	ND
[100]		10					ND	ND	ND	ND	ND
	Dec-03	10	ND	ND	ND	ND ND	ND	ND	ND	ND	ND
	Jun-04	10	ND	ND	ND	ND ND	ND	ND	ND	ND	ND
	Dec-04	10	ND	ND	ND		ND	ND	ND	ND	ND
	Jun-05	10	ND	ND	ND	ND	ND		ND		ND
lead (total)	May-02	10								ND	ND
[15]	Aug-02	10	ND	ND	ND	ND	19	-			1
[15 [*]]	Jun-03	10	ND	ND	ND	ND	21	ND	ND	ND	ND
	Dec-03	10	ND	ND	ND	ND	34	ND	ND	ND	ND
•	Jun-04	10	ND	ND	ND	ND	15	ND	ND	ND	ND
	Dec-04	10	ND	ND	ND	ND	62	ND	ND	ND	ND
	Jun-05	10	ND	ND	ND	ND_	92	ND	ND	ND	ND
lead (dissolved)	Dec-03	10					ND			****	
, ,	Jun-04	10					ND				
	Jun-05	10	-			-	ND				
mercury	May-02				***				-		
[1.1]	Aug-02	0.5	ND	ND	ND	ND	ND			ND	ND
[2]	Jun-03	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
L-3	Dec-03	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-04	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-04	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-05	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND
selenium	May-02	20							ND		ND
	Aug-02	20	ND	ND	ND	ND	ND			ND	ND
[50]	Jun-03		ND	ND	ND	ND	ND	ND	ND	ND	ND
[50]		20			ND	ND	ND	ND	ND	ND	ND
	Dec-03	20	ND	ND		ND ND	ND	ND	ND	ND	ND
	Jun-04	20	ND	ND	ND			ND	ND	ND	ND
	Dec-04	20	ND	ND	ND	ND	ND			ND	ND
	Jun-05	20	ND	ND	ND	ND	ND	ND	ND	אאר	IND

TABLE 1 SUMMARY OF DETECTED CONSTITUENTS MATERIAL RECOVERY, LLC, C AND D LANDFILL

Parameter			, ,	·		CONCENT	RATION (μg/L)			
[NC 2L Standard], [EPA MCL] in µg/L	Date	RL	MW-1	MW-2	MW-3	MW-4	MW-5	SW-1	SW-2	SW-3	Blanks
silver	May-02	10	-						ND	-	ND
[18]	Aug-02	10	ND	ND	ND	ND	ND			ND	ND
[100]	Jun-03	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-03	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-04	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
•	Dec-04	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-05	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
Xylenes	May-02	10							ND		ND
[530]	Jun-03	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
[10000]	Dec-03	10	5	ND	ND	ND	ND	ND	ND	ND	ND
,	Jun-04	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Dec-04	10	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Jun-05	10	ND	ND	ND	ND	ND	ND	ND	ND	ND

Notes:

- 1. RL = Reporting Limit
- 2. ND = Not detected at or above the reporting limit (=NCPQL)
- 3. = not available
- 4. 2L Standard = North Carolina's groundwater quality standard established under 15A NCAC 2L, .0202.
- 5. Shaded values are greater than the 2L Standards.
- 6. Bolded values are greater than the EPA MCLs.
- 7. MW = monitoring well
- 8. SW = surface water
- 9. Blank data represent field blank, trip blank and laboratory blank values.
- 10. * = EPA Action Level
- 11. All concentrations are in micrograms per liter (µg/L).


GROUNDWATER ELEVATION SUMMARY TABLE MATERIAL RECOVERY, LLC, C AND D LANDFILL


		Monitoring	Monitoring Well Water Level Elevations	l Elevations	
Well No.	MW-1	MW-2	MW-3	MW-4	MW-5
Well TOC Elev. (ft)	280.95	213.37	218.54	201.52	203.38
Aug-02	252.98	195.37	191.13	186.43	191.82
Jun-03	258.29	197.10	195.09	191.72	193.45
Dec-03	258.17	197.55	195.62	191.88	194.13
Jun-04	257.17	196.89	194.54	191.12	193.43
Dec-04	256.71	196.85	193.93	190.70	193.38
Jun-05	256.73	196.40	193.41	190.13	193.01

Notes:

- 1. All elevations are referenced to mean sea level.
- 2. TOC = top of casing
 - 3. Elev. = elevation
- 4. ft = feet

Drawing







GSARF#[[J355]] ENVIRONMENTAL CONSERVATION LABORATORIES

4810 Executive Park Court, Suite 211 10207 General Drive Jacksonville, Florida 32216-6069 Orlando, Florida 32824-8529 Ph. (904) 296-3007 • Fax (904) 296-6210 Ph. (407) 826-5314 • Fax (407) 850-6945

Cary, North Carolina 27513 Ph. (919) 677-1669 • Fax (919) 677-9846 1015 Passport Way

ENICO CompOAD No 1960038G/0

PWGA Waterial Recovery-Brown-Field	in Recove	ny-Brown-		PROJECT NO.	DO NUMBER			בֿ בֿ			140 300000000			CHAIN OF CUSTODY RECORD	Y RECC	SKD.
Rd.					710.0			MATRIX TYPE				REQUIRED ANALYSIS	SIS	PAGE	ie OF	/
PROJECT LOC. (State)	SAMPLER(s) NAME			_	PH(3/46)-323-0092			(3)e 7	///	/ /	/	/		_	STANDA	₽,
CLIENT NAME LOVCe Fronting	Den	Den Danpie (J	CIEMC	CLIENT PRO	Jeremoy Kerly '(336)-323-0093 Clent PROJECT MANAGER Mr. Jeremy Kerley			TV (oil, solvey	STVLEW (STEAT] 	M DELIVERY EXPENTED REPORT	¥ .
CLIENT ADDRESS (CITY, STATE, ZIP)	(CITY, STATE, Z	(di		1411. SOLO) 	HER .	NO17S	// 8. hstos	A-lav.	ON-di	ON-W	_	□ 	DELIVERY (surcharge)	charge)
2301 West Meadowview Road S-203 Greensboro, NC 27407	Meadowvie	w Road S-	203 Gre	ensboro,		TAM?	G WA) IEONS	Y ON	0928	_	<u></u>	_	Date Due:_		
	SAMPLE	PLE				DATE DUND	NIXIN	39Q/			PRESERVATIV	WATIVE				
STATION	DATE	TIME	GRAB COMP		SAMPLE IDENTIFICATION	508 SP(SN	IOS IIHO	19 ST ST ST		NUMBER	OF CONTAIN	NUMBER OF CONTAINERS SUBMITTED	1		REMARKS	
)	6-M-05	13:50	メ		MW-1	×				3	0	0		NC 11pp.1 VUCS & FLEKA METAR	UKSª PEKA	Metar
2	20-H-9	11:05	*		MW-2	×			-	3	0	0			^	
3	80-14-6)	01:出	メ		MW-3	X			1	3	0			NCMPOLL VOCUME RELEVANTE POLICY	Schlod D	Sarichm Sarichm
4	10-14-05	14:35	メ		MW-4(MS/MSD)	X			1	9	0	0		NC App : IV	OCS+12CRA	Metaka
2	SO-11-01	Sh: HI	Х		MW-5	X			1	3	-	0		NC HOP. I VOCS+ KCCA Metaly + Dissolved Lead	NC HOP. I VOCS + KCER METRY - Dissolved Lead	A Metaly
9	6-11-03	13:16	×		SW-1	X				3	0	0		NC 40p. T	VOC54 RC	ZA INKUS
			×		SW-2	×			1	3	0	0				
	50-H-9		×		SW-3	×				3	0	0				
6	50-41-9	95:HI	×		FIELD BLANK	X				3	0	0				
10					TRIP	X			0	6	0	0		NC APP. I V	VOCs anly	
-		,														
12																
13																
14			-													
SAMPLE KIT PREPARED BY:	PARED BY:	IN INC.	1	る。	MAINE RELIMOUISHED BY (SIGNATURE)	BY: (SIGNAT	MINDE DE RE	B	DATE	TIME	RECEIV	RECEIVED BY: (SIGNATURE)	RE)		DATE	TIME
RELINQUISHED BY: (SIGNATURE)	Y: (SIGNATURE)	7	1	DATE /		SIGNATURE) Uauj		STATE OF THE PARTY	TIME	1	RELINQUISHED BY: (SIGNATURE)	NATURE)		DATE	TIME
RECEIVED BY (SIGNATIONE)	GUATORE)			DATE:	DATE TIME RELINGUISHER B	BY: (SIGNATURE)			DATE	TIME		RECEIVED BY: (SIGNATURE)	RE)		DATE	TIME
RECEIVED FOR LABORATORY BY: (SIGNATURE	IVED FOR LABORATORY BY: (SIGNATUR	ا ساد	DATE DATE	400	A WIN OF TIME O CUSTODY INTACT		ENCOLOG NO.	MA	REMARKS (Chrin	Covers	1 cooler	र्			
L Jacksonn	- - - - - - - - - - -	S	<i>-</i>	7	<u>.</u>	2	耳									

Environmental Conservation Laboratories, Inc.

						ple Disp		-		
Client Name:	<u>Jo</u>	yc e	<u> </u>			Login#:	CRYIS	137	- ^	
Proj. Name:	MC	A. 1	<u> Materi</u>	al Rec	overy	Date Red	rd: 6/14/05	Logged By:	aa	
Samples receive	/ed via:	Clier	it Drop-o	ff	Lab P	Pickup	Courier			
					_	юкир		LIST AND ATT	ACH BILLS	
	ainer Des Indicate pr				ion		Fotal Number of Co		emperatures /	
Containers	None	HCI	HNO₃	H ₂ SO ₄	NaOH	Other	Cooler Num			Temperature
1 L Glass							И	24/_	2 ′ 6° On	Ice No Ice
1 L Plastic									2-6° On	Ice No Ice
500 ml Plastic	1		1						2-6° On	Ice No Ice
250 ml Plastic	1		10						2-6° On	Ice No Ice
250 ml Glass	1		, ,						2-6° On	Ice No Ice
4 oz Jars									2-6° On	Ice No Ice
40 ml Vial		33							2-6° On	Ice No Ice
Other	1	0				L	Provide detail	s of "No Ice"	in Notification	n/Comments.
6. If receiv 7. Were v 8. Were a 9. Were a 10.Were a	olatile con equeous vo equeous sa	tainers platile s amples	preserve amples l checked	ed (check neadspace for residu	labels onl -free? al chlorin	y)? Yes	No		N/A N/A N/A N/A N/A	
15.17616 4	iii oairipioo	•					nd approved by la			
ent Notification 1. Does c	lient need				<u></u>	Yes	No			
2. Who no	otified clier			- 18:17:18						
		•								
4. When?	requests fo Co Ca Ca	ontinue ancel a ancel a	analysis ffected a Il analyse	and repor nalyses or es.	t disposit nly (identii	by: ion in final re fy in comme		Fax	Mail	
4. When? 5. Client r - -	requests fo Co Ca Ca	ontinue ancel a ancel a	analysis ffected a Il analyse	and repoi nalyses or	t disposit nly (identii	ion in final re	port.	Fax	Mail	
4. When? 5. Client r	requests fo Co Ca Ca	ontinue ancel a ancel a	analysis ffected a Il analyse	and repor nalyses or es.	t disposit nly (identii	ion in final re	port.	Fax	Mail	
4. When?	requests fo Co Ca Ca	ontinue ancel a ancel a	analysis ffected a Il analyse	and repor nalyses or es.	t disposit nly (identii	ion in final re	port.	Fax	Mail	



JOYCE ENGINEERING, INC. QUALITY ASSURANCE LABORATORY DATA REVIEW

D	W. L. C. W.C.A.	Makadal Dagana	Duran Diald Dd
		Material Recove	ery, Brown-Field Rd.
Project Numb		2005	
	nt Date: June 14		7.0
	July 5, 2005		
Review Date:	July 7, 2005	Initials:	BD
Person(s) perfo acceptance, or a follow the appli	as acknowledgement of a	to initial each ite review issue. In t	m on this form as acknowledgement of data he case of the latter, a brief explanation should
	COMP	LIANCE ANAI (check all that a	
NC	Closed Facility/C &	, D I ist	
	_ Closed I acinty/C d _Appendix I	DISC	
v	- · · - · · · · · · · · · · · · · · · ·	ta	
X	_Appendix I + Detec	ıs	
	_Appendix II		
	_Subtitle D Leachate		
Other: RCRA	Metals, dissolved Ba	arium from MW-	3, & dissolved lead from MW-5
1.0 CHA	IN OF CUSTOD	Y (COC) REV	IEW
DG BD CO	C was properly signed	d by all parties.	
DG BD Cor	rect project name and Yes, New JEI proje		
	nple receipt condition .) was acceptable.	at laboratory (te	mperature, bottleware condition,

<u>DG</u> <u>BD</u> Each sample and blank submitted for analysis appears in the data report.

2.0 SAMPLE HOLDING TIMES

<u>DG</u> <u>BD</u> Holding times for extraction and/or analysis were met for each analytical method.

3.0 LABORATORY QUALITY CONTROL REVIEW

- DG BD Laboratory analyzed at least one internal blank for each method, where applicable.
- <u>DG</u> <u>BD</u> Surrogate recoveries are provided for each analytical method, where applicable.
- <u>DG</u> <u>BD</u> Surrogate recoveries for each method are within the acceptable limits (i.e., at least 50% of the surrogates were within range).
- DG BD MS/MSD/LCS data results are provided for each analytical method.
- <u>DG</u> <u>BD</u> MS/MSD/LCS recoveries for each method are within the acceptable limits (i.e., at least 1 of the 3 were within range).

4.0 ANALYTE LISTS/METHODS

- <u>DG</u> <u>BD</u> The proper number of constituents are present for each analyte list as identified above (including detects where applicable).
- DG BD Proper EPA SW-846 analytical methods were used for analysis.

5.0 DATA REPORTING

- <u>DG</u> <u>BD</u> All analytical reporting associated with the event was performed by the contracted lab.
- DG BD Trip, field and/or equipment, and laboratory blank results have all been reported. All detects for blanks are listed below by constituent. All laboratory method blanks, if any, have been 'flagged' with a 'B' where detected in other samples as appropriate and a laboratory narrative was provided. If the sample was flagged by the laboratory and is not within 5X of the concentration in the blank (or 10X for commonly detected laboratory contaminants-acetone, methylene chloride and phthalates), list below with explanation if flags should be removed. If flags need to be added, also list below.

- DG BD It is clear from the laboratory report that samples have or have not been diluted during analysis, and if the samples have been diluted, the result is reported as a multiple of the dilution (e.g., a sample diluted 10x resulting in an analytical detection of 1.0 should be reported as 10). Those that have been diluted are listed below with the dilution factor.
- DG BD The report provides the reporting limit for each constituent.
- DG BD The results were reported at or below their proper reporting limits (e.g. NC Solid Waste Section approved PQL's). Those that are not reported correctly are listed below (by constituent) with the proper reporting limit listed beside them. State if the reporting limit error is due to dilutions.
- <u>DG</u> <u>BD</u> The following inorganic and organic constituents were reported above their respective reporting limits in groundwater samples or field/equipment/trip blanks (list by constituent and note if exclusively an Appendix II constituent). State if the concentrations are blank-qualified and/or if the detect is new and/or suspect (i.e. a common laboratory or field contaminant). This may warrant a call to the appropriate laboratory to verify the detection.

Barium MW-2 @ 520 ug/L

MW-3 @ 2600 ug/L

Barium, filtered MW-3 @ 2700 ug/L

Lead MW-5 @ 92 ug/L

<u>DG</u> <u>BD</u> The following inorganic and organic constituents were reported above their respective EPA MCL's in wells, surface points or field/equipment/trip blanks (list by constituent):

 Barium
 MW-3 @ 2600 ug/L

 Barium, filtered
 MW-3 @ 2700 ug/L

 Lead
 MW-5 @ 92 ug/L

<u>DG</u> <u>BD</u> The following inorganic and organic constituents were reported above their respective NC 2L Drinking Water Standards in wells, surface points, or field/equipment/trip blanks:

Barium MW-3 @ 2600 ug/L Barium, filtered MW-3 @ 2700 ug/L Lead MW-5 @ 92 ug/L

- DG BD The following inorganic and organic constituents were detected in a well or surface water point at concentrations outside of their historical range (more than 5X previous concentrations and including sulfide and cyanide). List by constituent. If in Detection Monitoring, are there any apparent SSI's? (if yes, do "unofficial stats" asap). These items warrant a call to the appropriate laboratory to verify the detection(s).
- DG BD The following inorganic or organic constituents were detected for the first time in a well or surface water point. Also indicate whether or not the same constituent has been detected in other sites wells in recent events (last 1-2 years) and if it is Appendix I 5.5 or Appendix II 5.1. List by constituent. This warrants a call to the appropriate laboratory to verify the detection(s).
- DG BD Other report issues:
- <u>DG</u> <u>BD</u> List all details for initial and follow up notifications to laboratories below. State the issue(s), the person contacted, the date of contact, the method of contact (email, phone, etc.) and your initials. Then list details of the follow-up contact/response/action(s)

DATE: 6-14-05



Project Name: W								
Well ID:MW-	(Sampler(s): <u>Ben</u>	DRAper / Jero	mey Kerly /V	en Burbach		
Well Location:	0, 1	eft sid	e of	Brownfie	11 RJ Btw	n. the		
Wel	ll Diamet	er:	gates	6	<u>inches</u>			
Initi	ial Depth	to Water (D'	TW):	24,7	feetfeet			
Dep	th to Bot	tom (DTB):		52.	15feet			
Wat	ter Colun	nn Thickness	(WCT)	: <u>28.</u>	<u>53</u> feet [D'	ΓB-DTW]		
Calculation for O	ne Well	Volume (W	V):					
For	2" Well:	WCT	X 0.16	$3 = \underline{4.6}$	5 gallons			
For	4" Well:	WCT	X 0.65	_	gallons			
For THREE Well	Volume	es: WV X	Χ 3	= 13.9				
Actual Am	ount Pu	rged/Bailed	:	<u>13.</u>	95 gallons			
Purged wi	th:	Dispos	ABle	BAILER				
Sampled v		(1		11				
Depth to Water before Sampling: 24.20 feet								
Gallons	Time	Temp(°C)	рН	Cond. (µS)	Turb.(ntu)	Initials		
0	0950	18.7	4.94	194.6	17.6	gre gre		
4.65	0957	19.8	4.57	143.8	>1000	gok .		
9,30	1004	21.1	4.55	145.3	71000	4912		
13.95	1011	21.4	U.S	142.9	71000	199K		
	1. =0	0) /	1116	1410	2/3	m/		
Before Sampling	1350	21.6	4.65	191.3	36.3	18/		
Comments (weat	her cond	itions, odor	, color, s	silt, etc.): <u> </u>	-! Sunny.	m.d. 905		
Signature:	XX			Date:	111/05			
QA/QC Sign Off	: 0-	W		Date:	-29-05			



Project Name: Wa	Ke Co	Brown field	Rd Pro	oject No./Task	No.: 710.01				
Well ID: hw-									
Well Location: N									
	l Diamet			2	inches_				
Initi	al Depth	to Water (D'	TW):	16.	97 feet				
Dep	th to Bot	tom (DTB):		_35	,00_feet				
Wat	ter Colun	nn Thickness	(WCT)	: <u>18</u>	feet [D]	rB-DTW]			
Calculation for O	ne Well	Volume (W	V):		P. 1 1				
For	2" Well:	WCT	X 0.163	3 = 2	.97 gallons				
For	4" Well:	WCT	X 0.65		gallons				
For THREE Well	Volume	es: WV X	X 3	= \(\frac{\gamma_1 \gamma}{3}\)	2 gallons				
Actual Am	ount Pu	rged/Bailed	:	_ 9	, & gallons				
Purged wi	th: <u> <i>D</i></u> ந	osable Bail	ler						
Sampled v		ti it							
Depth to Water before Sampling: 16,91 feet									
Gallons Time Temp(°C) pH Cond. (μS) Turb.(ntu) Initials									
						Initials			
					Turb.(ntu) 23.2	Initials UB			
Gallons	Time	Temp(°C)	pН	Cond. (µS)	Turb.(ntu)				
Gallons	Time	Temp(°C) 21.3 20.1	р Н Ч.75	Cond. (µS) 365 347 358	Turb.(ntu) 23.2	VB			
Gallons	Time 18:38	Temp(°C) 21.3 20.1	pH 4.75 4.63	Cond. (µS) 365 347	Turb.(ntu) 23.2	VB			
Gallons S S	Time 18:38 18:42 10:46	Temp(°C) 21.3 20.1	pH 4.75 4.63 4.69	Cond. (µS) 365 347 358	Turb.(ntu) 23.2 56.2 72.7	VB			
Gallons S S	Time 12:38 12:42 18:42 18:46 18:51	Temp(°C) 21.3 20.1 19.9 18.8	pH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368	Turb.(ntu) 23.2 56.2 72.7 54.8	VB			
Gallons S S	Time 12:38 12:42 18:42 18:46 18:51	Temp(°C) 21.3 20.1	pH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358	Turb.(ntu) 23.2 56.2 72.7	VB			
Gallons S S P P	Time 12:38 12:42 10:46 10:51	Temp(°C) 21.3 20.1 19.9 18.8	PH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368	Turb.(ntu) 23.2 56.2 72.7 54.8	VB			
Gallons S Gallons Before Sampling	Time 12:38 12:42 10:46 10:51	Temp(°C) 21.3 20.1 19.9 18.8	PH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368	Turb.(ntu) 23.2 56.2 72.7 54.8	VB			
Gallons S Gallons Before Sampling	Time 12:38 12:42 10:46 10:51	Temp(°C) 21.3 20.1 19.9 18.8	PH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368 368 silt, etc.):_M	Turb.(ntu) 23.2 56.2 72.7 54.8	VB			
Gallons S Gallons Before Sampling	Time 12:38 12:42 10:46 10:51	Temp(°C) 21.3 20.1 19.9 18.8	PH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368 368 31t, etc.):M	Turb.(ntu) 23.2 56.2 72.7 54.8 52.9 0+ + Si	VB			
Gallons S Gallons Before Sampling	Time 12:38 12:42 10:46 10:51	Temp(°C) 21.3 20.1 19.9 18.8	PH 4.75 4.63 4.69 4.73	Cond. (µS) 365 347 358 368 368 silt, etc.):_M	Turb.(ntu) 23.2 56.2 72.7 54.8 52.9 0+ + Si	VB			



Project Name: <u>W</u> a	skeCoP	Seownfield R	1. Pro	ject No./Task	No.: 710.0	1			
Well ID:MW	-3	Sampler(s): <u> </u>	BD					
Well Location:	Noetl	neast sie	le of	Izndfill pr	ist MW-a				
Wel	ll Diamet	er:			inches				
Initi	al Depth	to Water (D'	TW):	25,	13_feet				
Dep	th to Bot	tom (DTB):		34.5	<u>feet</u>				
Wat	ter Colun	nn Thickness	(WCT)	9.	37_feet [D'	TB-DTW]			
Calculation for O	ne Well	Volume (W	V):						
For	2" Well:	WCT	X 0.163	= 1.5	3 gallons				
For	4" Well:	WCT	X 0.653	3 =	gallons				
For THREE Well	Volume	s: WV X	X 3	$= \frac{\mathcal{U}}{\mathcal{U}}$	59 gallons				
Actual Am	ount Pu	rged/Bailed	:	250	gallons				
Purged wi	th:	Dispos	ABLL	BAILER					
Sampled w	vith:	Is .		11					
Depth to Water before Sampling: 25.12 feet									
Gallons	Time	Temp(°C)	pН	Cond. (µS)	Turb.(ntu)	Initials			
0	1132	19.6	4.56	163	23.	9912			
1.53	1135	18.5	4.38	315	703	89K			
3.06	1138	18.3	4.32	436	955	99K			
4.59	1140	18.2	4.36	480	71000	99K			
				<u> </u>					
Before Sampling	1410	<u>20.8</u>	4.51	318 80	318	B0			
Comments (weat	her cond	itions, odor,	, color, s	ilt, etc.): <u> <i>Ho+</i></u>	1 Sunny. M.	u 90's.			
Papameters	s tak	en Afr	a Sa	nples					
Signature:	K	52		Date: (·-14 -05				
QA/QC Sign Off	9	GKY_		Date:	-29-05				



Project Name: W	lake Co.	- Brownfield	<u>d // /</u> Pr	oject No./Task	No.: 7/0.01	
Well ID: <u>mw</u> -	4	Sampler(s): <u> </u>	BD		
Well Location: 13	ackside	of landfi	Il near	sed pond.		·
We	ll Diamet	er:		_2	inches	
Init	ial Depth	to Water (D	TW):	11.3	sqfeet	
Dep	oth to Bot	tom (DTB):		27.0		
Wa	ter Colun	nn Thickness	(WCT)	: <u>15.4</u>	1 61 feet [D]	rb-dtw]
Calculation for O	ne Well	Volume (W	V):			
For	2" Well:	WCT	X 0.16	$3 = \frac{2}{3}$	Sgallons	
For	4" Well:	WCT	X 0.65	3 =	gallons	
For THREE Well	Volume	s: WV X	X 3	= 1.	gallons	
Actual Am	ount Pu	rged/Bailed	:		gallons و	
Purged wi	th: <u>Dispa</u>	uble Railer				
Sampled v	•	. 4				·
-				ic 2/1 c.		
Depth to V	Vater be	fore Sampli	ng :/	<u>7.39 </u>	T	
Depth to V	Vater be	fore Samplin Temp(°C)	ng: <u>/</u> pH	<u>7. 59</u> ree Cond. (μS)	Turb.(ntu)	Initials
	1					Initials
Gallons	Time	Temp(°C)	рН	Cond. (µS)	Turb.(ntu)	
Gallons	Time 12:00	Temp(°C)	рН 4.94	Cond. (µS)	Turb.(ntu)	BD
Gallons U 2.5	Time 12:00 12:02	Temp(°C) 18.8 17.7	рН 4.9Ч 5.09	Cond. (µS)	Turb.(ntu)	BD BD
Gallons 2,5 5.0	Time 12:00 12:02 12:04	Temp(°C) 18.8 17.7 17.8	pH 4.94 5.09 5.01	Cond. (µS) [6] [6]	Turb.(ntu) 6/16 1000</td <td>8D 8D</td>	8D 8D
Gallons 2,5 5.0	Time 12:00 12:02 12:04	Temp(°C) 18.8 17.7 17.8	pH 4.94 5.09 5.01	Cond. (µS) [6] [6]	Turb.(ntu) 6/16 1000</td <td>8D 8D</td>	8D 8D
Gallons 2,5 5.0	Time 12:00 12:02 12:04	Temp(°C) 18.8 17.7 17.8	pH 4.94 5.09 5.01	Cond. (µS) [6] [6]	Turb.(ntu) 6/16 1000</td <td>8D 8D</td>	8D 8D
Gallons 2,5 5.0 7.6 Before Sampling	Time 12:00 12:02 12:04 12:00	Temp(°C) 18.8 17.7 17.8 17.5	pH 4.94 5.09 5.01 5.06	Cond. (µS) [6] [8] [90]	Turb.(ntu) 6/16 000 </000 </000 87.2</td <td>BD BD BD</td>	BD BD BD
Gallons 2.5 5.0 7.6 Before Sampling Comments (weat)	Time 12:00 12:02 12:04 12:00 12:00 1435 her cond	Temp(°C) 18.8 17.7 17.8 17.5 21.8 itions, odor,	pH 4.94 5.09 5.01 5.06	Cond. (µS) [6] [8] [90]	Turb.(ntu) 6/16 000 </000 </000 87.2</td <td>BD BD BD</td>	BD BD BD
Gallons 2,5 5.0 7.6 Before Sampling	Time 12:00 12:02 12:04 12:00 12:00 1435 her cond	Temp(°C) 18.8 17.7 17.8 17.5 21.8 itions, odor,	pH 4.94 5.09 5.01 5.06	Cond. (µS) [6] [8] [90]	Turb.(ntu) 6/16 000 </000 </000 87.2</td <td>BD BD BD</td>	BD BD BD
Gallons 2.5 5.0 7.6 Before Sampling Comments (weat)	Time 12:00 12:02 12:04 12:00 12:00 1435 her cond	Temp(°C) 18.8 17.7 17.8 17.5 21.8 itions, odor,	pH 4.94 5.09 5.01 5.06	Cond. (µS) [6] [8] [90]	Turb.(ntu) 6/16 000 </000 </000 87.2</td <td>BD BD BD</td>	BD BD BD
Gallons 2.5 5.0 7.6 Before Sampling Comments (weat)	Time 12:00 12:02 12:04 12:00 12:00 1435 her cond	Temp(°C) 18.8 17.7 17.8 17.5 21.8 itions, odor,	pH 4.94 5.09 5.01 5.06	Cond. (µS) [6] [8] [90]	Turb.(ntu) 6/16 000 </000 </000 87.2</td <td>BD BD BD</td>	BD BD BD



Project Name: <u>\(\lambda \)</u>	VAKE C	o Brownfie	11 RAPr	oject No./Task	No.: 716.	01			
Well ID: MN	-5	Sampler(s):_B	en Draper	Jenney Ki	erly			
Well Location:	BACK	Corner of	لمط	fill past 8	ed. Pond				
	ll Diamet				inches				
Initi	ial Depth	to Water (D'	TW):	10.3	37_feet				
Dep	th to Bot	tom (DTB):		24.0	feet				
Wat	ter Colun	nn Thickness	(WCT)	: <u>13.</u> ,	<u>63</u> feet [D'	TB-DTW]			
Calculation for O	ne Well	Volume (W	V):						
For	2" Well:	WCT	X 0.16	3 = 2.2	2 gallons				
For	4" Well:	WCT	X 0.65	3 =	gallons				
For THREE Well	Volume	es: WV X	X 3	= <u>6.66</u>	gallons				
Actual Am	ount Pu	rged/Bailed	:	6.60	gallons				
Purged wi	th:	Dispo	SABL	· BAILL	2				
Sampled v	vith:	L !		1(·····			
Depth to Water before Sampling: [10.5] feet									
Gallons	Time	Temp(°C)	pН	Cond. (µS)	Turb.(ntu)	Initials			
0	1248	16.7	5.3	116.4	274	99K			
2.22	1250	16.2	5.24	115.6	71000	SD/Z			
4.44	1253	15.9	5.28	113.9	71000	994			
6.66	1256	16.0	5,28	114.3	71000	99%			
Before Sampling	14:45	19.8	5.44	111.8	>1000	0ध			
Comments (weat	her cond	itions, odor,	color, s	silt, etc.):_ <i>_/ქგ</i>	! Sunny. Le	n 905.			
FIE	ELD	BLANK	Tare	en Dal	4:56				
, , ,			,,_						
Simotom	95	7		- · · /	-1110				
Signature:		<u> </u>		Date: Date:	-19-03				



SURFACE WATER MONITORING LOG

Project Name: Wake Co Brownfield	Rd. Project/	Γask No.: <u>7/Λ.Ω1</u>
Surface Point ID: <u>Sw-</u> Sampler(s)): JK/BD	
Location: Up stream of P-15 & P	-10 northwest propert	y boundary.
Field Parameters:	_	
Time of Sampling:	1316	·
рН:	6.23	
Temperature:	22.8	(°C)
Conductivity:	_/69	(μS)
Turbidity:	10.5	(ntu)
Comments/Sample Description(weather	er conditions, odor, col	or, silt, etc.):
Hot. Sunny. mid 90's		
,		
Sketch of Sample Location (inclu	de flow direction, draina	ge pathways, etc.):
•		
Sw-1		
	\	
	·	`
	15	図 ID
	15	עי
·		
Signature:	Date:	114/05
QA/QC Sign Off:	Date: 7	A
Z Z Z Z Z Z Z Z Z Z		•



ENGINEERING, INC.		SURFACE WATER MONITORING LOG		
Project Nam	ie: Wake Co Bro	ounfield Rd	Project/Tas	sk No.: 710.01
Surface Poir	nt ID: Sい-2 Sam	pler(s):_ <u>JK B</u>	D	
Location:	Between MW-	3 and MW-	4 in Wood	S
Field Param	eters:			
	Time of Sampling:		1210	
	pH:		6.08	
	Temperature:		24.6	(°C)
	Conductivity:		134,1	(μS)
	Turbidity:		49.9	(ntu)
Comments/S	Sample Description(v	veather conditi	ons, odor, color,	silt, etc.):
Hot! So	unny mid 90's			
	· · · · · · · · · · · · · · · · · · ·			
Sketo	ch of Sample Location	(include flow di	rection, drainage	pathways, etc.):
				<u> </u>
	(Sel. Pond		<i>S</i>	₩- 2
_		⊗ Wv	1-4	
			Ø MW-3	
Signature:_	J. XY		_ Date:6/14/	05



SURFACE WATER MONITORING LOG

Project Name: Wake Co Brownfield 1	Project/Task	No.: 710.01
Surface Point ID: <u><w-3< u=""> Sampler(s):</w-3<></u>	JK/BD/VB	
Location: Stream past MW-2		
Field Parameters:		
Time of Sampling:	1053	
pH:	<u>6. iO</u>	:
Temperature:	24,3	(°C)
Conductivity:	470	(μS)
Turbidity:	9,50	(ntu)
Comments/Sample Description(weather HOT! Sumy! Mid 905		
Sketch of Sample Location (included)	e flow direction, drainage pa	nthways, etc.):
Signature:	Date: 6/14/0	5
QA/QC Sign Off:	Date: <u>7-29-</u>	